

Contents

1

TOPPAN's Sustainability 03-12

- Message
- Progress in Toppan's Sustainability Management
- TOPPAN's Approach to Sustainability
- Material Issues of Focus in Toppan's Sustainability
- Environmental Target
- Toppan Group Medium-and-long-term Environmental Targets (Fiscal 2020 Results)
- Awards
- Sustainable Procurement Guidelines

3

Products 19-31

- TOPPAN Product Features
- Lower Carbon / PREMIUM SURFACE COLLECTION
- Lower Carbon / G-shade
- Reference Data / scratch & stain resistance
- Reference Data / antiviral & antibacterial test
- Reference Data / CO2 emissions & TVOC
- High Durability / 101 REPREA SMART NANO
- High Durability / 101 Eco Sheet SMART NANO
- High Durability / Fortina
- High Durability / VS Sheet
- Responsible Sourcing / Décor Paper
- Responsible Sourcing / G-effect

2

Environment Division's Sustainability 13-18

- Our Factories
- Circular Economy
- ISO14001
- Zero Emissions Efforts and Waste Management
- Chain Of Custody / FSC® CERTIFIED

4

Works 32-35

- Shop / the United States
- Office / the United States
- Public / Finland

5

Appendix 36-42

- Environment performance data
- Reducing environment load / Satte plant
- Reducing environment load / Kashiwa plant

TOPPAN's Sustainability

Message

Sustainability—the Very Foundation of Our Business




From our first days in business in 1900, we have been committed to contributing to the sustainable development of society by propagating printing technology. Under our corporate philosophy of contributing "to a fulfilling lifestyle as a mainstay of information and culture" for more than a century, we have delivered various forms of value to society in a steadily diversifying range of businesses linked with the most advanced printing technologies. Based on our distinctive printing technologies, we currently operate businesses in three fields: Information & Communication, Living & Industry, and Electronics. The Toppan Group has a global customer base of more than 20,000 companies, a manufacturing base of 140 locations, and a human asset base of some 52,000 employees (on a consolidated basis).

Working at this monumental scale, we develop manifold business enterprises around the world and engage with customers, business partners, employees, and various other stakeholders. The Toppan Group is widely and deeply involved in society as an essential supporter of people's lives in the fields of food, clothing, and housing. As the President & Representative Director of Toppan Inc., I take pride in the great social responsibility and social missions we shoulder.

Globalization and digitalization have drastically changed the business environment surrounding Toppan in recent decades. Climate change and environmental issues have also become bigger challenges for us. To further enhance our contribution to society as a corporate citizen, we are promoting sustainability initiatives that link to the United Nations Sustainable Development Goals (SDGs). As a group of companies responsible for social infrastructure essential for the community and people's lives, the Toppan Group has a strong affinity with the SDGs, sustainability management, and environmental, social, and governance (ESG) issues. I believe these are the basic foundations of our Group.

Progress in Toppan's Sustainability Management

Our Evolving Sustainability Management




Human rights, ethical standards, global environmental conservation, and originality. When formulated in 2000, TOPPAN VISION 21 incorporated various themes in common with today's ESG and SDG concepts. When the UN adopted the SDGs in 2015, the Toppan Group was already engaged in diverse corporate social responsibility initiatives that resonated closely with TOPPAN VISION 21 and the SDG themes. Later, in November 2019, we announced the TOPPAN SDGs STATEMENT and selected material issues to address from SDG viewpoints in our business activities and Groupwide operations. Since November 2020, we have been implementing Groupwide activities under TOPPAN Business Action for SDGs.

We have also been pursuing business projects that create new value for society by linking our efforts focused on social agendas with our business enterprises. To give just one example, our Living & Industry business is adding eco-value to our commercial products by quickly capturing the growing

demand for highly recyclable packaging and sustainable packaging materials. From May 2021, we began accelerating these business initiatives by setting specific targets in each of our three business fields.

TOPPAN's Approach to Sustainability



The Toppan Group undertakes sustainability activities in accordance with the principles of the United Nations Global Compact and the guidelines of the ISO 26000 Guidance on Social Responsibility, a globally recognized standard for organizations. The United Nations Sustainable Development Goals (SDGs) have also been incorporated into the Group's sustainability activity targets.

Since its foundation in 1900, Toppan has supported various client companies in their efforts to overcome the challenges they face in business. The solutions Toppan offers to meet the ever-changing needs of markets and clients are based on wide-ranging specialist knowledge and expertise that have been derived from printing for more than a century. Year by year, Toppan continues to widen the business fields of the Group by applying its printing technologies on various fronts in society. As a corporation focused on the creation of social value, Toppan formulated TOPPAN VISION 21 in 2000 to clarify the philosophical basis for its Corporate Structure and define the prioritized Business Fields for the sustainable growth of the Group.

Japan joined with 192 other countries to adopt the SDGs at the UN Summit held in September 2015. The SDGs encompass 17 goals and 169 targets focused on social agendas the international community has committed to achieve by 2030. Private-sector businesses around the world are expected to join policy initiatives to address the issues under the SDGs. The various SDG agendas are the same issues Toppan should address as a corporation that strives to realize a sustainable society through TOPPAN VISION 21. Toppan also formulated its TOPPAN SDGs STATEMENT in November 2019 to declare the Group's commitment to initiatives for achieving the SDGs and actions for integrating those initiatives with management. The Group launched TOPPAN Business Action for SDGs in November 2020 as a step to intensify its SDG-focused activities.

Material Issues of Focus in Toppan's Sustainability

Process for Selecting the Material Issues

Identification of issues that threaten the sustainability of global society Generation of business ideas that address the social issues that have been identified and enable Toppan to make a distinctive contribution

Judgment of importance in line with two axes—degree of use of Toppan resources and degree of contribution to society

Selection of material issues, centered on fields associated with important business ideas Checking appropriateness through dialogue with external experts, making certain revisions Authorized by Board of Directors after discussion among senior management

■ Materiality at Toppan

| | Theme | Relationship with the SDGs |
|---|--|--|
| | Environment (sustainable global environment) | 12 september 13 scale 14 state was 15 state 15 s |
| Business Materiality (Issues of focus in the Group's business activities) | Communities (creation of safe, secure, enriched communities) | 8 state was an |
| | People (empowerment and fulfillment of body and mind) | 2 mm 3 mm artin 4 moort 4 moort 1 mm artin 1 |
| Companywide Materiality (Issues to address in | Environmentally friendly & sustainable production | 12 services 13 ser |
| Groupwide activities as a good corporate citizen) | Employee health & job satisfaction | 3 manufacture 5 minority 8 minority and 1 minority |

Selecting the Material Issues

Toppan has selected a set of material issues on which to focus in its sustainability activities, in order to accelerate the development of initiatives to address social issues throughout the business enterprises of the Group. Toppan classifies the selected issues into two categories: Business Materiality, issues of focus in the Group's business activities, and Companywide Materiality, issues for Toppan to address in Groupwide operations as a good corporate citizen.

Selection Process

Toppan selected the material issues based on the criteria described on the left by comprehensively assessing corporate activities through discussions with relevant departments across the Company. The appropriateness of the selections was checked through dialogue with stakeholders and external experts. Senior management reviewed the selections and finalized them with authorization from the Board of Directors.

■ Materiality Selection Criteria

In selecting the material issues, Toppan prioritized the principles of the Corporate Philosophy, Corporate Creed, and Conduct Guidelines presented in TOPPAN VISION 21, the master plan plotting out the basic direction for the corporate activities of the Group. Along with the "markets & customers" and "technology & expertise" approaches encompassed within the Business Fields, Toppan has also embraced the concepts underlying the SDGs, a set of long-term global development agendas. The selected material issues are pathways for achieving the SDGs through the use of Toppan technologies and expertise geared to the creation of new value for society.

Environmental Target

■ Toppan Group Environmental Vision 2050

Toppan has formulated the Toppan Group Environmental Vision 2050, a long-term policy for addressing global environmental issues, as a proponent of a sustainable society that supports all forms of life in the global ecosystem of tomorrow.

1 Contributing to Decarbonization

Aiming for virtually zero Scope 1 and 2 greenhouse gas emissions.

(2) Contributing to Resource Circulation

Aiming for zero waste emissions.

3 Optimal Water Use

Reducing water consumption and contributing to improved water quality by preventing pollution.

■ Toppan Group Medium-and-long-term Environmental Targets for Fiscal 2030

In tandem with the Toppan Group Environmental Vision 2050, Toppan has reviewed the key performance indicators (KPIs) for SDG-linked issues under the "environmentally friendly & sustainable production" theme within the Companywide Materiality category.

(1) Contributing to Decarbonization

Reduce Scope 1 and 2 greenhouse gas emissions by 32.5% (446 kt-CO2e) compared to the fiscal 2017 level (1,373 kt-CO2e): Renewable energy ratio of 6.5% Reduce Scope 3 greenhouse gas emissions by 20% (1,224 ktCO2e) compared to the fiscal 2017 level (6,122 kt-CO2e)

(2) Contributing to Resource Circulation

Reduce final landfill waste disposal by 60% (4,444 t) compared to the fiscal 2017 level (7,407 t) Increase the waste plastic material recycling rate by 12 percentage points (to 65%) compared to the fiscal 2017 level (53%)

(3) Optimal Water Use


Reduce water consumption, improve water-use efficiency, and avoid or minimize water pollution risks (quantitative targets are to be set soon)

Toppan Group Medium-and-long-term Environmental Targets (Fiscal 2020 Results)

The Toppan Group has been undertaking environmental conservation activities to ensure that the entire Group attains the target values set for fiscal 2030. The values from fiscal 2017 are set as baselines.


■ Scope 1 and 2 Greenhouse Gas Emissions

The Toppan Group once again achieved its single-year Scope 1 and 2 greenhouse gas (GHG)-emission reduction targets approved by the Science Based Targets initiative (SBTi) in fiscal 2020.



■ Scope 3 Greenhouse Gas Emissions

The Toppan Group failed to attain its single-year Scope 3 GHG-emission reduction target approved by the SBTi in fiscal 2020, mainly due to the additional operational sites acquired through the M&A in fiscal 2019.




^{*}For Scope 1 and 2 emissions, CO2 emissions associated with electricity consumption at domestic sites are calculated using the basic emission factor according to the method specified in the Ministerial Ordinance Concerning the Calculation of Greenhouse Gas Emissions from Business Activities of Specified Dischargers (the latest amendment on April 30, 2015) issued by the Ministry of the Environment (MOE) of Japan. Meanwhile, CO2 emissions associated with electricity consumption at overseas sites are calculated using country-specific conversion factors published by the International Energy Agency (IEA). Greenhouse gas emissions associated with fuel consumption, excluding electricity consumption, are calculated globally by the MOE method specified in the Ministerial Ordinance Concerning the Calculation of Greenhouse Gas Emissions from Business Activities of Specified Dischargers (the latest amendment on April 30, 2015).

Toppan Group Medium-and-long-term Environmental Targets (Fiscal 2020 Results)


■ Waste Plastic Material Recycling Rate

In recycling waste plastics, the Toppan Group seeks to attain a new single-year target set for fiscal 2021 in line with the medium-and-long-term targets for fiscal 2030.



■ Final Landfill Waste Disposal

In recycling waste, the Toppan Group seeks to attain a new single-year target set for fiscal 2021 in line with the medium and-long-term targets for fiscal 2030.





Member of

Dow Jones Sustainability Indices

Powered by the S&P Global CSA

Toppan Named on CDP's Climate Change A List

Top rating awarded in recognition of risk management, disclosure, and setting of substantial targets for climate change issues.

CDP surveys and assesses the efforts of businesses and subnational governments in relation to target setting, risk management, and disclosure on environmental issues. CDP's annual assessment process is aligned with the recommendations of the Task Force on Climate-Related Financial Disclosures (TCFD) and is renowned as a global standard for evaluating companies' environment-related activities. This year more than 590 investors with over US\$110 trillion in assets requested corporate environmental data through CDP, and a record number of more than 13,000 companies responded by providing disclosures. A total of 200 companies have been named to the climate change A List, including 55 from Japan.

Toppan Included in DJSI World for Fifth Year

Approach to climate change and diverse social issues recognized with continued selection in leading global ESG investing index.

As the world's longest-running ESG investing index, DJSI World is widely recognized and trusted by experts. Companies' environmental, social, and governance performance is evaluated based on a stringent Corporate Sustainability Assessment (CSA) of more than 10,000 listed entities around the world. Companies demonstrating outstanding sustainability performance are selected to the DJSI World index.

Toppan is one of 322 companies named to the DJSI World index this year. It is among 35 Japanese companies selected and the only Japan-based company in the Commercial & Professional Services industry group. Toppan significantly improved its scores over last year in the areas of environmental efficiency and risk and crisis management, and its readiness to respond to climate change and other social issues was rated highly. Toppan also registered a top score for information security/cybersecurity for the second consecutive year.

Sustainable Procurement Guidelines



Toppan Group Sustainable Procurement Guidelines Published Guidelines significantly revised to make a greater contribution to a sustainable society

TOPPAN has devised and announced a new set of guidelines for driving sustainable procurement at the Toppan Group and across its supply chains. The Toppan Group Sustainable Procurement Guidelines represent a major overhaul of the second version of the Toppan Group CSR Procurement Guidelines, published in 2014, and aim to further enhance sustainable procurement activities from a global perspective to reflect the expectations of society and recent trends such as the establishment of related international standards.

The Guidelines consist of the Basic Procurement Policy, which applies to all workers involved in procurement activities at the Toppan Group, and a set of Sustainable Procurement Standards, which set out requirements and recommendations for suppliers and contractors. The Sustainable Procurement Standards cover a broad range of social issues that businesses are expected to address. They are comprised of nine sections including legal compliance and respect for internationally recognized standards; human rights and labor; health and safety, environment; fair business and ethics; quality and safety; information security; business continuity planning; and establishing a management system.

In addition to ensuring thorough awareness and understanding of the Guidelines within the Toppan Group and at suppliers and contractors, Toppan will work with related stakeholders in advancing activities based on them to identify and mitigate procurement risks across supply chains. By doing so, Toppan aims to facilitate solutions to social issues and raise the enterprise value of the Toppan Group as well as that of its suppliers and contractors.

Toppan plans to implement a range of measures to achieve sustainable procurement based on the Guidelines. These will include holding briefing sessions and asking major suppliers and contractors to respond to self-assessment surveys, the results of which will be analyzed to identify and ascertain risks.

<u>Toppan Group Sustainable Procurement Guidelines</u>
[Website] Toppan Group Sustainable Procurement Guidelines

Environment Division's Sustainability

Our Factories



| SATTE plant | | | | | |
|---------------------------|--------------------------------|--|--|--|--|
| Date of establishment | 1 st , July 2005 | | | | |
| Location | Satte city, Saitama | | | | |
| Site area | 88,772m ² | | | | |
| Number of employees | 497 | | | | |
| Manufactured goods | Wallpaper, pre-coated paper | | | | |
| ISO14001 acquisition date | 3 rd , March 2000 | | | | |



| KASHIWA plant | | | | | |
|---------------------------|---|--|--|--|--|
| Date of establishment | 1 st , July 2005 | | | | |
| Location | Kashiwa city, Chiba | | | | |
| Site area | 31,874m ² | | | | |
| Number of employees | 200 | | | | |
| Manufactured goods | Platemaking, resin, aluminum building component | | | | |
| ISO14001 acquisition date | 3 rd , March 2000 | | | | |

Circular Economy



TOPPAN aims to contribute to the building of a recycling-oriented society

With the growing awareness of environmental conservation throughout the world, the Toppan Group focuses on the development of a sustainable society where all forms of life in our global ecosystem can coexist.

Driven by the concept of a Circular Economy, Toppan has the ambition to bring better products, services, and impact to our society, with efficient use of resources, development of long-life products, and cleaner production processes. Toppan continually develops technical and product innovations, by seeking collaborations with responsible minds from inside and outside the industry, creating well-being for all forms of life.





ISO14001: 2015

Acquisition date

3rd March, 2000

■ Registered products


Wallpaper, decorative surface foil for furniture, interior, and outdoor uses.

Design development and production of plastic flooring

TOPPAN has built and operated environment management system based on ISO14001. "Environment management review" is regularly conducted to effectively implement a PDCA cycle.

Zero-emission Efforts and Waste Management

Both of Satte and Kashiwa plant achieved 100% Recycle rate in 2020




To promote high-level sorting in waste management, Toppan is making efforts to share cases of sorting problems, investigating the cause of issues, and taking measures to prevent issues from recurring.

When outsourcing waste disposal, Toppan makes sure that waste disposal contractors comply with the law. Toppan has established its own audit system to evaluate contractors on a regular basis, to ensure Toppan fulfills its responsibility as a waste disposer.

In addition to the waste management and responsible waste disposal, Toppan is promoting various measures to improve internal recycling rate.

Chain Of Custody / FSC® CERTIFIED



TOPPAN is promoting use of FSC certified materials as a responsible company

Our lineup of FSC certified materials

- FSC MIX
- FSC CW

No illegally harvested forests

No forests that were harvested in violation of traditional and civil rights

No forests where High Conservation Values are threatened by management activities

No natural forests that were converted to non-forest uses

No forests with genetically modified trees.

■ Registration products

- Décor paper (Saturating Grade Paper)
- LWBP (Pre-coated paper)

Products

TOPPAN Product Features

TOPPAN is striving to become a company that offers more sustainable products to global customers

| | Lower Carbon | High Durability | Responsible Sourcing |
|----------|--|---|--------------------------------|
| FEATURES | Low carbon products made by environmental-friendly materials and production system | High Durability products by converting technology | Use of FSC certified materials |
| PRODUCTS | PREMIUM SURFACE COLLECTION -TOPPAN Decorative NON PVC Flim- G-shade | Smart NANO' FORTINA® VS Sheet | Décor Paper G-effect |

Lower Carbon



PREMIUM SURFACE COLLECTION Decorative NON-PVC Film

Premium Surface Collection is made of PVC-free materials which has lower carbon content/emission than PVC.

Toppan's coating technology enhances the product durability and can be used in versatile applications.

Applications

Louvers (FORTINA) / Furniture, cabinets, wall panels, interior fittings

Features

- More sustainable material "Olefin"
- No added formaldehyde or volatile organic compounds (VOC)
- Flexible and easy to process
- Scratch resistant
- Easy to clean
- Antiviral / Antibacterial finish

* The area / countries that you can purchase these specific products are currently limited to Asia, North and South America, Oceania and Middle East due to the regulation of EPA and BPR.

URL / Catalog

PREMIUM SURFACE COLLECTION
CATALOG

LEAFLET Antiviral/Antibacterial Finish and Antibacterial Finish

Lower Carbon



G-shade Decorative NON-PVC Film

G-shade is a PVC-free film with silky touch anti-fingerprint coating and high chemical resistance.

Applications

Kitchen, Interior door, Furniture

Features

- More sustainable material "Olefin"
- Flexible and easy to process
- Easy to clean
- Chemical Resistance
- No added formaldehyde or volatile organic compounds (VOC)

| Properties | Test Me | ethod | Result |
|--|--|--|-----------------------|
| | 2% hydrochloric acid | | No remarkable changes |
| che solution che solution 5% acetic acid 2 h | Separately apply the chemical on the surface of each film, | No remarkable changes | |
| | 5% acetic acid | 2 hours later, wash | No remarkable changes |
| Resistance | Petroleum Benzine | them away with water of wipe them off | No remarkable changes |
| | Kerosene | with neutral detergent, and observe the surface. | No remarkable changes |
| | machine oil | | No remarkable changes |

Leaflet

LEAFLET

Reference data | scratch & stain resistance

Scratch resistance - **Gem coating -**

The hardness of TOPPAN's Gem coating helps to reduce scratch on the surface

Steal wool rubbing test 500g/cm2 20times




TOPPAN's PVC free sheet



PVC décor's

Hoffman scratch test



TOPPAN's PVC free sheet




PVC décor's


Stain resistance - Easy clean coating -

Special coating recipe is contributing to the "Easy clean"

Stain test



TOPPAN's PVC free sheet




PVC décor's

Dyeing hair coloring agent and wiping them off with water 24 hours later




TOPPAN's PVC free sheet




PVC décor's

Reference data | antiviral & antibacterial test


Antiviral / Antibacterial Test Results *1





- *1. Test results are provided as an example only, not to be used to guarantee performance.
- *2. "Viral count" and "bacterial count" are used in place of sharing detailed information prohibited by the Pharmaceuticals and Medical Devices Act.
- *3. Calculated by our company from the result data in the test report.
- *4. Due to the Pharmaceuticals and Medical Devices Act (Act on Ensuring Quality, Efficacy, and Safety of Pharmaceuticals and Medical Devices), the virus cannot be specified and therefore is identified as "Virus A."in this document.
- *5. Antiviral and antibacterial test results gained from Japanese testing organizations based on ISO standards.
- *6. Check your country's regulations to use the antiviral and antibacterial finishes legally.

Schematic Illustration of Antiviral / Antibacterial Finish





Viruses proliferate by invading the cells of human or other organisms. Approximately 0.02-0.3µm in size.



Unicellular organisms. Grow in nutrient-rich conditions. Approximately 1-10µm in size

SIAA Certification



the SIAA brand mark is borne on products evaluated according to ISO 21702 and they are under quality control and information disclosure by the guidelines of the Society of International sustaining growth for Antimicrobial Articles.

It can reduce the number of specific viruses on the product.

The antiviral surface treatment does not aim to cure or prevent viral diseases.

It conforms to SIAA's safety requirements



the SIAA brand mark is borne on products evaluated according to ISO 22196 and they are under quality control and information disclosure by the guidelines of the Society of International sustaining growth for Antimicrobial Articles.

Reference data | CO2 emissions & TVOC

Volume of CO₂ emissions


The volume of CO2 emissions from the resource extraction stage through the factory production stage was calculated using the LCA method.

The volume of TOPPAN PVC décor's CO2 emissions was kept to around 60% of PVC sheeting.

Estimation tool: IDEA (v2.1.3)

Content detailed here is based on our company's reliable analysis.

Reviewed by Professor Itsubo of Tokyo City University in July 2020.



Total Volatile Organic Compounds

Simulated the indoor concentration of total volatile organic compounds (TVOC) emitted from surface sheeting.

Indoor concentration kept to about 20% of PVC sheeting.

Extracted sheeting one week after production and estimated emission rate using the small chamber method.


TVOC concertation for furniture with surface sheeting adhered to it (about 1.8m) in an about 30m space



^{*} Content detailed here is based on our company's reliable analysis and testing methods. However, the content does not guarantee results in actual usage conditions.



Layer Configuration



101 REPREA SMART NANO

Decorative NON-PVC Film

Smart NANO is another significant innovation, and this technology is based on surface hardening by nanotechnology, which enables our décor surface to achieve significantly improved physical properties. REPREA developed for use in flooring as our first collection of SMART NANO.

Applications

Floor

Features

- High scratch resistance
- With our advanced crystallization control technology using special nanosized additives, this product is transparent, flexible, and extremely resistant to wear and tear.
- High Chemical resistance
- By applying SMART NANO technology, the coating surface becomes rigid. The harder coating achieves higher scratch and abrasion resistance
- High Durability
- Changes in surface and discoloration caused by UV light can be prevented using the technology we have cultivated in our years of developing decorative printed surfaces. This technology is used within our SMART NANO PP transparent layer.





101 Eco Sheet SMART NANO Decorative NON-PVC Film

Smart NANO is another significant innovation. This technology is based on surface hardening by nanotechnology, which enables our décor surface to achieve significantly improved physical properties. 101 Eco Sheet Smart Nano has been developed for use in doors as a second collection of SMART NANO.

Applications

Door

Features

- High scratch resistance
- With our advanced crystallization control technology using special nanosized additives, this product is transparent, flexible and extremely resistant to wear and tear.
- High stain resistance
- By applying SMART NANO technology, the coating surface becomes rigit. The harder coating helps to prevent the scratches and marring that can occur over time.
- High Durability
- Surface decorations caused by UV light can be prevented using the technology we have cultivated in our years of developing decorative printed surfaces. This technology is used within our SMART NANO PP transparent layer.



FORTINA®

FORTINA is a product that combines superior design and highperformance decorative PVC free film with aluminum profiles. It is lightweight, easily customizable, durable, quick to install, effortless to maintain, and most importantly, beautiful. FORTINA will contribute to sustainability because it can be used as a replacement of wood for long-term use.

Applications


Perimeter walls, Screens/Room dividers, Ceilings, Exterior

Features

- Weather resistance
- Exterior specifications have passed an 8000-hour weather resistance test using an SWOM.
- Light weight and easy to maintenance
- Because aluminum is one-third the weight of steel, FORTINA can reduce building load and improve resistance to earthquakes.
- Quick and cost-efficient installation
- An extensive assortment of accessories enables faster, cost-efficient installation.
- Incombustible material certification
- FORTINA has received incombustible material certification numbers.
- ASTM-E84(Class A), EN-13501 (Class: B s2, d0)
- * Please contact us for details.

URL / Catalog

URL CATALOG



VS Sheet (Vapor shield print)

Water vapor transmission can be controlled by TOPPAN's VS sheet that often used for the back side of decorative board.

TOPPAN VS sheet can prevent board warpage by inserting

Polyethylene resin between base paper, and it contributes to high durability performance.

Applications

Interior fittings

Features

- Moisture proof
- Vapor barrier
- Antiviral/ Antibacterial finish

Performance (Water Paper Transmission Rate)


| Material Tested | Water Vapor Transmission Rate (grams/M2 24hours) |
|-------------------------|---|
| VS-Print (wood grain) | 17-20g (Varies depending on design) |
| VS-Sheet (solid colors) | 7-10g |
| Toppan's Eco-Sheet | Approx. 3g (Varies depending on specs) |
| Two-ply Vinyl Film | Approx. 15g (Varies depending on specs) |
| Embossed Coated Paper | Approx. 300-600g (Varies depending on specs) |

Based on JIS Z 0280 Cup Method. (40, 90% Relative Humidity)

The smaller the numbers, the less moisture penetration.

These are the typical test results and are not the performance guaranteed.

Responsible Sourcing



Décor Paper (Saturating Grade Paper)

Alpha cellulose paper printed with wood, abstract and stone designs for resin saturation process. TOPPAN always carries FSC CW and FSC MIX paper. Paper products certified by the FSC has been managed and processed over 10 years since TOPPAN obtained the FSC CoC certification in 2009.

Applications

Melamine laminates (HPL / MFC / TFL / CPL) applied to countertops, flooring, furniture, and interior fittings

Features

- FSC / use of responsible materials
- Reduction of chemical substance by utilizing water-based ink
- Reduction of hazardous substance by utilizing water-based ink
- Reduction of chemical release amount

Responsible Sourcing



G-effect LWBP / Pre coated Paper

Light basis weight paper printed with wood, abstract and stone designs with synchronized gradational embossing.

| G-effect | G-FORCE | G-TACTILE | G-effect Double |
|-------------|----------------|-------------|-----------------|
| | | | |
| Sync emboss | Natural finish | Deep emboss | 3D emboss |

Applications


Furniture, cabinets, wall panels, interior fittings

Features

- FSC / use of sustainable materials
- Reduction of chemical substance (4VOC)
- Reduction of hazardous substance (4VOC)
- No added formaldehyde

URL / Catalog

DESIGN PRESENTATION
GLOBAL DESIGN COLLECTION "Well Being"





SHOP – the United States – PRODUCT: FORTINA




OFFICE – the United States – PRODUCT: FORTINA









PUBLIC - Finland – PRODUCT: FORTINA

Appendix

Presence or absence of environment accident, administrative guidance, complaint

| | Satte Plant | Kashiwa Plant |
|---|-------------|---------------|
| Presence or absence of environment accident | Absence | Absence |
| Presence or absence of administrative guidance | Absence | Absence |
| Presence or absence of complaint | Absence | Absence |
| Exceeding the legal regulatory limit /self-imposed corporate standard | Presence * | Absence |

Atmosphere

| | | Satte Plant | | | | | | |
|--------------------------|--------------------------------------|------------------|------------------------|----------------|--------------------------|--|--|--|
| Name of equipment | Restricted substance | Regulatory value | Voluntary standards | Measured value | Frequency of measurement | | | |
| Water absorption- | Nitrogen oxide (Nox) volume (ppm) | | 120 | 40 | Twice a month | | | |
| type water cooler | Volume of particulate matter (g/Nm3) | 0.10 | 0.080 | ND | Once a month | | | |
| Gravure printing machine | T-VOC concentration (ppmc) | 700 | 560 | 310 | Once a month | | | |
| Coater | T-VOC concentration (ppmc) | 600 | 480 | 190 | Once a month | | | |
| Cleaning equipment | T-VOC concentration (ppmc) | 400 | 320 | 110 | Once a month | | | |
| VOC treatment unit | Treatment efficiency (%) | 80 | 84 | 94.4 | Twice a month | | | |

* Exceeds the regulatory limit specified in the Offensive Odor Control Law

We conduct regular, voluntary odor measurements for the electrostatic precipitator (EP) exhaust port and the site boundary (one location on the downwind side) at the Satte Plant twice a year. However, the odor measurement taken at the exhaust port of EP No.3 in June of 2020 was found to exceed the legal regulatory limit. (It does not harm to the human body.)

The associated equipment was stopped immediately after it was found that the regulatory limit was being exceeded. Investigation of the cause continues. The Satte Plant has EP No.2 as a backup, and is currently using EP No.2, which has been confirmed to have no problems.

- The maximum value measured in 2020 is shown in the measured value column. (Treatment efficiency is the minimum value)
- If there are many pieces of equipment to treat the same item, only the representative value is listed, but the value has been confirmed to be below the standard at all points of measurement.
- If a value is lower than the quantitative limit, it is listed as not detected.
- For items that do not have legal regulatory limits, but we have set our own self-imposed corporate standard, "- "within the regulatory limit column and only the self-imposed standard is listed.

■ Water quality

| IATh and to | Restricted substance | Kashiwa Plant | | | | Satte Plant | | | | | | |
|------------------|---|---------------------|------------------------|----------------|--------------------------|------------------|--------------------------|-------------------|--------------------------|--|--|--|
| Where to release | | Regulatory value | Voluntary standards | Measured value | Frequency of measurement | Regulatory value | Voluntary standards | Measured value | Frequency of measurement | | | |
| | Hydrogen ion concentration (pH) | 5.0~9.0 | 5.3~8.7 | 6.9~7.8 | Once a month | | | | | | | |
| | Biochemical oxygen demand (BOD) | 600 | 480 | 18.0~48.2 | Once a month | | | | | | | |
| | Suspended solids (SS) | 600 | 480 | 23~108 | Once a month | | | | | | | |
| | Total nitrogen (T-N) | 60 | 48.0 | 6.6~20.9 | Once a month | | | | | | | |
| | Total phosphorus (T-) | 8.0 | 6.4 | 1.00~2.19 | Once a month | | | | | | | |
| | Normal hexane extract content (mineral) | 5.0 | 4.0 | ND | Once a month | | | | | | | |
| | Normal hexane extract content (dynamic) | 30.0 | 24.0 | ND~5.0 | Once a month | | | | | | | |
| Corrowa | Copper content | 1.0 | 0.8 | 0.02~0.07 | Once a month | | | | | | | |
| Sewers | Soluble iron content | 1.0 | 0.8 | ND~0.10 | Once a month | | No releasing into sewers | | | | | |
| | Total chrome content | 0.5 | 0.4 | ND | Once a month | | | | | | | |
| | Hexavalent chromium content | 0.05 | 0.04 | ND | Once a month | | | | | | | |
| | Lead | 0.1 | 0.08 | ND | Once a month | | | | | | | |
| | Boron | 10.0 | 8.0 | ND | Once a month | | | | | | | |
| | Fluorine | 8.0 | 6.4 | ND~0.1 | Once a month | | | | | | | |
| | Zinc | 1.0 | 0.8 | 0.017~0.060 | Once a month | | | | | | | |
| | Soluble manganese | 1.0 | 0.8 | ND~0.06 | Once a month | | | | | | | |

^{*} The unit of measurement is mg/L, excluding pH. The measured values given are the minimum and maximum values measured in 2020. "ND" is listed for measured values less than the quantitative lower limit.

■ Water quality

| Where to | Restricted substance | Kashiwa Plant | | | | Satte Plant | | | | | | | |
|---------------------|---|------------------|------------------------|----------------|--------------------------|----------------------|------------------------|-------------------|--------------------------|--|--|--|--|
| Where to release | | Regulatory value | Voluntary standards | Measured value | Frequency of measurement | Regulator y value | Voluntary standards | Measured value | Frequency of measurement | | | | |
| | Ammonia nitrogen, nitrite nitrogen and nitrate nitrogen | 380 | 300 | 5~14 | Once a month | | | | | | | | |
| | Cadmium and its compounds | 0.01 | 0.008 | ND | Once a year | | | | | | | | |
| | Cyanide | ND | ND | ND | Once a year | | | | | | | | |
| | Organophosphorus compounds | ND | ND | ND | Once a year | | | | | | | | |
| | Arsenic and its compounds | 0.05 | 0.04 | ND | Once a year | | | | | | | | |
| | Mercury and alkylmercury and other mercury compounds | 0.0005 | 0.0004 | ND | Once a year | | | | | | | | |
| Sewers | Trichlorethylene | 0.10 | 0.08 | ND | Once a year | | 5 | | | | | | |
| | Tetrachlorethylene | 0.10 | 0.08 | ND | Once a year | | | | | | | | |
| | Dichloromethane | 0.20 | 0.16 | ND | Once a year | | | | | | | | |
| | Carbon tetrachloride | 0.02 | 0.016 | ND | Once a year | | | | | | | | |
| | Dichloroethane | 0.04 | 0.032 | ND | Once a year | | | | | | | | |
| | Dichloroethylene | 0.40 | 0.320 | ND | Once a year | | | | | | | | |
| | Trichloroethane | 3.00 | 2.40 | ND | Once a year | | | | | | | | |
| | Selenium and its compounds | 0.10 | 0.080 | ND | Once a year | | | | | | | | |
| | Phenols | 0.50 | 0.40 | ND | Once a year | | | | | | | | |

^{*} The unit of measurement is mg/L, excluding pH. The measured values given are the minimum and maximum values measured in 2020. "ND" is listed for measured values less than the quantitative lower limit.


■ Water quality

| Where to | | | Kashiv | wa Plant | | Satte Plant | | | | |
|----------|---|---------------------|--|-------------------|--------------------------|---------------------|------------------------|-------------------|--------------------------|--|
| release | Restricted substance | Regulatory value | Voluntary standards | Measured value | Frequency of measurement | Regulatory value | Voluntary standards | Measured value | Frequency of measurement | |
| | Hydrogen ion concentration (pH) | | | | | | 6.2~8.3 | 7.1~7.5 | Once a month | |
| | Biochemical oxygen demand (BOD) | | | | | | 20 | 1.8~5.5 | Once a month | |
| | Chemical oxygen demand (COD) | | | | 160 | 120 | 5.5~9.1 | Once a month | | |
| River | Suspended solids (SS) | No viv | No river discharge (excluding via rainwater) | | | 60 | 46 | ND~4.0 | Once a month | |
| Rivei | Total nitrogen (T-N) | NO HV | | | | 120 | 92 | 3.5~12.1 | Once a month | |
| | Total phosphorus (T-P) | | | | | 16 | 12 | $0.77 \sim 1.53$ | Once a month | |
| | Normal hexane extract content (mineral) | | | | | 5 | 3.8 | ND~1.0 | Once a month | |
| | Normal hexane extract content (dynamic) | | | | | 30 | 23 | ND | Once a month | |


^{*} The unit of measurement is mg/L, excluding pH. The measured values given are the minimum and maximum values measured in 2020. "ND" is listed for measured values less than the quantitative lower limit.

Reducing environment load | Satte plant


Energy consumption




Waste total discharge



CO2 emissions




Recycling Rate




Reducing environment load | Kashiwa plant


Energy consumption



Waste total discharge



CO2 emissions



Recycling Rate

